

# USB Sync / Charge Cable with Lightning Connector - Black, 3-ft. (1M)

MODEL NUMBER: M100-003-BK



Sync and Charge your iPhone, iPad, or iPod device

### Description

Tripp Lite's M100-003-BK 3ft Black USB Sync / Charge Cable with Lightning connector allows for Uploading / Downloading data to and from the latest generation of iPhone, iPad, and iPod devices, while charging the devices at the same time. Cables are MFI Certified, so they are made for use with iPhone (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad (4th and 5th generations), iPad mini ; iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch (1st generation) and iPad Pro 9.7 inch. Reversible Lightning connector allows plug-ability in either direction to the device.

## Features

- 3ft Black USB Sync / Charge Cable with Lightning Connector
- MFI Certified Made for iPhone (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad (4th and 5th generations), iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch (1st generation) and iPad Pro 9.7 inch.

#### **Highlights**

- Sync / Charge Cable with Lightning Connector
- MFI Certified Made for iPhone
   (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus,
   SE, 7, 7 Plus, 8, 8 Plus, X), iPad
   (4th and 5th generations), iPad
   mini, iPad mini 2, iPad mini 3,
   iPad mini 4, iPad Air, iPad Air 2,
   iPod Touch (5th and 6th
   generations), iPad Pro 12.9 inch
   (1st generation) and iPad Pro
   9.7 inch

#### **System Requirements**

- USB computer or wall adapter
- MFI Certified Made for iPhone
   (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad
   (4th and 5th generations), iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch
   (1st generation) and iPad Pro 9.7 inch.

#### **Package Includes**

 3ft (1M) Black USB Sync / Charge Cable with Lightning Connector

# **Specifications**

OVERVIEW	
UPC Code	037332182159
Technology	Lightning; USB (all versions)





INPUT		
Cable Length (ft.)	3	
Cable Length (m)	1	
PHYSICAL		
Wire Gauge (AWG)	24 Power Pair / 30 Data Pair	
Shipping Dimensions (hwd / in.)	0.910 x 4.570 x 2.360	
Shipping Dimensions (hwd / cm)	2.31 x 11.61 x 5.99	
Shipping Weight (lbs.)	0.0500	
Shipping Weight (kg)	0.02	
Unit Packaging Type	Вох	
Material of Construction	PVC	
Color	Black	
Cable Outer Diameter (OD)	2.8mm	
Cable Jacket Rating	VW-1	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 140 F (-20 to 60 C)	
Storage Temperature Range	-4 to 176 F (-20 to 80 C)	
Relative Humidity	0% to 90% RH, Non-Condensing	
CONNECTIONS		
Side A - Connector 1	USB A (MALE)	
Side B - Connector 1	LIGHTNING (MALE)	
Connector Plating	Nickel	
Contact Plating	Gold	
FEATURES & SPECIFICATIONS		
USB Specification	USB 2.0 (up to 480 Mbps)	
CERTIFICATIONS		
Certifications	Tested to MFI, CA65, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	2-year limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>